

# Drag & Drop Support in TSG8

TSG8 offers a variety of support for the dragging and dropping of filenames. They can be dropped onto the main TSG window, a floater window, and certain dialogs.

## Main TSG window

### Single file

Extension	Action
<b>_tsgtray.tsg</b>	Close current dataset (if any); open dataset
<b>.tsg</b>	Close current dataset (if any); open dataset
<b>.tdg</b>	Close current dataset (if any); open dataset
<b>.csv</b>	Assay import if a dataset is open <i>Or</i> spectral import (CSV table) if not
<b>.pls</b>	Load the PLS session for the current dataset (if possible)
<b>.hdr</b>	ENVI import (spectral library or small hyperspectral image)
<b>.ini</b>	Copy layout to current dataset
<b>.asd</b>	Dynamic import of ASD spectrum file into current dataset / scratchpad
<b>.sed</b>	Dynamic import of OreXpress spectrum file into current dataset / scratchpad
<b>.asp</b>	Dynamic import of Agilent spectrum file into current dataset / scratchpad
<b>.dsp</b>	Dynamic import of PIMA spectrum file into current dataset / scratchpad
<b>.txt</b>	Dynamic import of ASCII XY spectrum file into current dataset / scratchpad <i>Or</i> ASD HALO import via summary file <i>Or</i> schedule “headless” script file

**Purple** items require that TSG has a dataset open.

Dynamic import needs to be configured for the dynamic-import items to work.

### General / one or more files / directory

Extension	Action
<b>.tsg</b>	(More than 1) Merge datasets
<b>_tsgtray.tsg</b>	(More than 1) Predigested-tray import
<b>.sds</b>	HyLogger-2 or HyLogger-3 import
<b>.sdf</b>	HyLogger-1 import
<b>.dsp</b>	PIMA import (traditional)
<b>.fos</b>	PIMA import
<b>.asd</b>	ASD binary import
<b>.sed</b>	OreXpress import
<b>.asp</b>	Agilent import
<b>.txt</b>	Generic ASCII XY import (includes RRUFF)

## Floater window

Extension	Action
<b>.tsg</b>	Attach as aux dataset
<b>.tdg</b>	Attach as aux dataset
<b>.hdr</b>	Load (ENVI spectral library) into scratchpad and set to scratchpad mode
<b>.sta</b>	Load into stats area and set to stats mode
<b>.asd</b>	Dynamic import of 1 ASD spectrum file into current dataset / scratchpad
<b>.sed</b>	Dynamic import of 1 OreXpress spectrum file into current dataset / scratchpad
<b>.asp</b>	Dynamic import of 1 Agilent spectrum file into current dataset / scratchpad
<b>.dsp</b>	Dynamic import of 1 PIMA spectrum file into current dataset / scratchpad
<b>.txt</b>	Dynamic import of 1 ASCII XY spectrum file into current dataset / scratchpad

Dynamic import needs to be configured for the dynamic-import items to work.

## Dialogs

### Merge datasets

Extension	Action
<b>.tsg</b>	Add dataset(s) to the merge list

### Import wizard (page 2)

Most of the “page twos” of the import wizard accept dropped filenames. (Page 1 is where you select the import type, and page 2 has file-selection and other controls for the chosen type.) In general you can include a mix of files – e.g., you can drop a directory. Files that aren’t of the expected type will be filtered out.

### ASCII XY

Extension	Action
<b>.sed</b>	Import the files using the OreXpress preset
<b>.asp</b>	Import the files using the Agilent preset
<b>.txt</b>	Import the files using the generic preset (recognises RRUFF automatically)

### PIMA DSP and FOS

Extension	Action
<b>.dsp</b>	Import PIMA DSP files
<b>.fos</b>	Import PIMA FOS files

## ENVI

Extension	Action
<b>.hdr</b>	Import ENVI spectral library or small hyperspectral image (only 1 file)

## HyLogger-1

Extension	Action
<b>.sdf</b>	Import HyLogger-1 trays

## HyLogger-2 and -3

Extension	Action
<b>.sds</b>	Import HyLogger-2 or HyLogger-3 trays

## HyLogger predigested trays

Extension	Action
<b>_tsgtray.tsg</b>	Import HyLogger predigested trays

## Spectral CSV

Extension	Action
<b>.csv</b>	Import CSV table of spectra (only 1 file)

## ASD binary

Extension	Action
<b>.txt</b>	Import via this HALO summary file (only 1 file)
<b>.asd</b>	Import these ASD binary files
<b>.*</b>	Import these ASD binary files

The ASD options are hierarchical.

1. If there is a `.txt` file then it is used and the other files are ignored. Otherwise:
2. If there are any `.asd` files then they are used and the other files are ignored. Otherwise:
3. All files are tried as ASD binary. Ones that aren't are ignored.

## Mineral selection lists

These lists appear in:

- File -> Settings [TSA], **Select active minerals** list
- Domain editor, **EDIT** list
- TSA-mode floater, **Constrained Least Squares** control panel

Extension	Action
<b>.csv</b>	Load the mineral selection

The `.CSV` file must be a special one that was saved from one of these lists.

## Interactive Depth Logging control panel

Extension	Action
<b>.tdl</b>	Import the depth-logging export file (1 file only)

The depth-logging tool supports export and import via .tdl files. The import is a “merged load”, where core-section markups are changed if they have a showing in the .tdl file and left alone if not.